

K-NX246A

v1.0



1	1
2	2
2.1	2
2.2	3
3	4
3.1	4
3.2	5
4	6
4.1	6
4.2	8

2

2.1

2.2

3

3.1




IO



IO




3.2



mm

4

4.1




- | | | | | | |
|--------|---------------|-----|--------|---------------|-----|
| ① 100W | GMSL | D | ② 100W | GMSL | C |
| ③ 100W | GMSL | B | ④ 100W | GMSL | A |
| ⑤ 200W | GMSL | A | ⑥ 200W | GMSL | B |
| ⑦ | USB3.0 Type-A | | ⑧ | USB3.0 Type-A | |
| ⑨ | | 1 | ⑩ | | |
| ⑪ 12V | | | ⑫ | 4G | SMA |
| ⑬ | WiFi | SMA | ⑭ | | |
| ⑮ M12 | 1 | | ⑯ | 1 | 2 |
| ⑰ M12 | 2 | | ⑱ | 2 | 2 |
| ⑲ | HDMI | | ⑳ | &CAN | |
| ㉑ | | | ㉒ | TF | |
| ㉓ | SIM | | ㉔ | Recovery | |
| ㉕ | Micro USB | | | | |




4.2

1 COM&CAN




2




3 USB

4 HDMI

5



6 12V



7 GMSL